SAI-JUVENILE CONFIDENTIAL REPORT

NAME : Example Report

AGE: 14 SEX: Male ETHNICITY/RACE : Caucasian EDUCATION/GRADE : 8th Grade

DOB : 03/15/2000 TODAY'S DATE : 09/18/2014

Sexual Adjustment Inventory-Juvenile results are confidential and should be considered working hypotheses. No diagnosis or decision should be based solely upon SAI results.

TWO TRUTHFULNESS SCALES

MEASURES/SCALES	%ile		ENILE TRUTH		
TEST ITEM TRUTHFULNES		- LOW RIS	K - MED	IUM -P	ROBLEM-MAX-
SEX ITEM TRUTHFULNESS		_	_	_	
SEX TIEM INUINFULNESS	0 01				90 100
			. •	SCORES	

TRUTHFULNESS SCALES AWARENESS

Experienced sex offender evaluators understand that many offenders deny, minimize or even lie about their problems. This underscores the need for sex offender tests to have a Truthfulness Scale that determines offender truthfulness when tested. Why two Truthfulness Scales? Some offenders deny everything, whereas others only attempt to "fake good" or lie to sex-related (or non-sex-related) questions. These two Truthfulness Scales enable evaluators to make these determinations.

TRUTHFULNESS SCALE PARAGRAPHS

SEX ITEM TRUTHFULNESS SCALE

This youth's Sex Item Truthfulness Scale score is in the Problem Risk (70 to 89th percentile) range. Problem risk scorers attempt to minimize their sex-related problems and concerns. Truth-corrected scale scores are accurate, but interpret them cautiously. This youth is defensive and uses denial excessively. Considerable insight can be gained by comparing this Sex Item Truthfulness Scale score to this juvenile's Test Item Truthfulness Scale score.

TEST ITEM TRUTHFULNESS SCALE

This juvenile's Test Item Truthfulness Scale score is in the Medium Risk (40th to 69th percentile) range. Answers to non-sex-related items are non-defensive and truthful. Non-sex-related scales were answered truthfully. Sex offenders often deny or minimize problems which under-scores and emphasizes the importance of this non-sex-related truthfulness scale. The two truthfulness scales (Sex Item Truthfulness and Test Item Truthfulness) provide considerable insight into this juvenile's motivation while completing the Sexual Adjustment Inventory.

The Sex-Item Truthfulness Scale measures client truthfulness while the offender answers sex-related questions. The Sex-Item Profile follows.

SEX ITEM SCALES

MEASURES/SCALES	%ile	SEX ITEM SCALE PROFILE
SEXUAL ADJUSTMENT	74	++ - LOW RISK - MEDIUM -PROBLEM-MAX-
CHILD MOLEST	45	
SEXUAL ASSAULT	75	
EXHIBITIONISM	29	
		++++++ 0

---- INCEST CLASSIFICATION: admitted to 1 out of 3 incest items -

A REMINDER: Elevated (70th percentile and higher) scale scores are indicative of problematic behavior. As scale scores increase the client's problematic behaviors become more problematic and severe.

SEX SCALE PARAGRAPHS

SEXUAL ADJUSTMENT SCALE SCALE SCORE:74 This juvenile's Sexual Adjustment Scale score is in the Problem (70 to 89th percentile) range. Sexual Adjustment problems and concerns are present. Admission items include:# 27, 37, 47, 81, 96, 130. Sex adjustment problems and concerns interact with other elevated ($70^{\rm th}$ percentile and higher) sex-item scale scores. This individual manifests sexual adjustment concerns. Individual (or group) outpatient sex adjustment counseling may be warranted.

CHILD MOLEST SCALE

This youth's Child Molest Scale score is in the Medium Risk (40 to 69th percentile) range. Few, if any, indicators of child molestation are evident. However, all child molester assessments should include reviewing their SAI-Juvenile Sex-Item Truthfulness Scale score, available history and any prior evaluations. Medium risk scorers do not present as child molesters. The least restrictive disposition consistent with public safety is recommended.

SEXUAL ASSAULT SCALE

This juvenile's Sexual Assault (Rape) Scale score is in the Problem (70 to 89th percentile) range. Problem risk scorers have a higher than average probability of committing rape. Admission items include:# 23, 35, 72, 83, 86. Recommendation: review the youth's court records, treatment history, prior evaluations and any other elevated SAI-Juvenile scale scores. Recommendation: outpatient (individual or group) counseling or psychotherapy might be considered.

EXHIBITIONISM SCALE

This youth's Exhibitionism Scale score is in the Low Risk (zero to 39th percentile) range. Low risk scorers do not intentionally expose their sex organs (genitals) to unsuspecting strangers. An essential feature of this disorder is recurrent, intense sexual urges and fantasies. This juvenile's Exhibitionism Scale score is in the Low Risk range. This juvenile is not an exhibitionist, consequently a counseling or treatment recommendation is not offered.

NON-SEX-ITEM SCALES

MEASURES/SCALES	%ile	NON-SEX SCALE PROFILE					
		++ - LOW RISK - MEDIUM -PROBLEM-MAX-					
VIOLENCE	77						
ANTISOCIAL	38						
DISTRESS	78						
IMPULSIVENESS	47						
ALCOHOL	82						
DRUGS	79						
		0 40 70 90 100 PERCENTILE SCORES					

NON-SEX SCALE PARAGRAPHS

VIOLENCE SCALE

This juvenile's Violence Scale score is in the Problem (70 to 89th percentile) range. A violence pattern is indicated. Admission items include: # 95, 149, 182. Recommendation: This youth can be violent, consequently any other elevated (70th percentile or higher) SAI scale scores would be problematic. Individual or group counseling that focuses upon positive alternatives to the frustration-anger-violence cycle should be considered. Treatment intensity should match violence severity.

ANTISOCIAL SCALE

This youth's Antisocial Scale score is the Low Risk (zero to 39th percentile) range. Few, if any, indicators of deceit, repeated lying, chronic inability to conform to society or antisocial thinking are present. Low risk scorers typically manifest stability, loyalty, responsibility and a relatively trouble free adjustment. However, review the Test Item Truthfulness Scale score to clarify this juvenile's truthfulness when tested.

DISTRESS SCALE

This juvenile's Distress Scale score is in the Problem (70 to 89th percentile) range. This juvenile is experiencing problematic distress. Admission items include: # 34, 58. Suicidal thinking (#175 or 21) was not admitted. Treatment (counseling) intensity should match the severity of distress intensity. Individual or group outpatient counseling might be considered. This juvenile is troubled and concerned. Recommendation: stress management counseling. This score did not occur by chance.

IMPULSIVENESS SCALE

This youth's Impulsiveness Scale score is in the Medium Risk (40 to 69th percentile) range. There has been considerable research on "sexual impulsivity disorders" in the last decade. Some scientists maintain that paraphilia-related disorders may be the more prevalent form of sexual impulsivity. Medium Risk scorers are usually not sexually impulsive individuals. However, other elevated (70th percentile and above) SAI scale scorers (e.g., substance abuse) can influence a person's impulsivity.

ALCOHOL SCALE	SCALE	SCORE:82
This juvenile's Alcohol Scale score is in the Problem		
percentile) range. Alcohol abuse is indicated. This ir		
(item #224) that he is not a recovering alcoholic. R		
high. Admission items include: # 19, 76. Recommend	ation:	consider
chemical dependency (alcohol) treatment augmented	with m	nandatory
Alcoholics Anonymous meetings. This person may be in t	he early	' stages
of alcoholism.	•	

DRUGS SCALE

This youth's Drugs Scale score is in the Problem (70 to 89th percentile) range. Drug use or abuse is indicated. This juvenile states (item #224) that he is not a recovering substance abuser. Admission items include: # 33, 77, 84, 91, 114, 135, 161. Recommendation: outpatient (individual or group) drug counseling should be considered. Treatment intensity should match drug problem severity. Narcotics Anonymous (NA) or Cocaine Anonymous (CA) meetings might augment - but should not take the place of treatment.

INFORMATION PROVIDED BY CLIENT

Age at first sex-related arrest.	NA	Exhibitionism Arrests	0
Number of Times Arrested	0	<pre>Incest-related Arrests</pre>	0
Non-Sexual Violence Arrests	0	Alcohol-related Arrests	
Number of Sex-Related Arrests	1	Drug-related Arrests	0
Sexual Assault Arrests	0	Registered Sex Offender	F
Child Molest Arrests	0	In Sex Treatment	F

MULTIPLE CHOICE ANSWERS

THESE MULTIPLE CHOICE ANSWERS: reflect the client's opinions with all their biases. Comparison of these subjective opinions with objective SAI Scale Scores can facilitate offender understanding.

227. Not distressed or depressed 230. Impulsiveness: 1 or 2 (OK) 216. Not a recovering abuser 221. Antisocial thoughts: 1 or 2	225. 217. 228. 218. 204. 216.	Drinking not a problem Drug use not a problem Temper not a problem Distress not a problem Violence not a problem Sex Adjustment not a problem No need for counseling	203. 211. 215. 216. 205. 229.	Not suicidal or homicidal None of the above Has not forced sex No prior counseling/treatment No time in sexual treatment Distress: 1 or 2 (None) Adjustment: 1 or 2 (OK)
	216. 227.	No need for counseling Not distressed or depressed	230.	Impulsiveness: 1 or 2 (OK)

OBSERVATIONS/RECOMMENDATIONS:		
STAFF MEMBER SIGNATURE	DATE	

SAI RESPONSES

_	_	_	_	_	_	_	_	_	_	_	_	_	

1- 50	FTTFFTFTFT	TFFTFTTTFT	FFFTTTFFTT	TTFTFFTTTF	FTTTTTTFTT
51-100	TTFTTTFFFF	FFFFFFFFF	FFFFFFFFF	FFFFFFFFF	FFFFFFFFF
101-150	FFFFFFTTTT	FFFFFFFFF	FFFFTFFFF	FFFTFFFTFT	FFFTFFTFFT
151-200	FFFTFFFTFF	FFFFFFFFF	TFFFTFFFFT	FFFFFFFFT	TTFTTFFFFT
201-230	TTF4441111	444444444	4111144444		

SIGNIFICANT ITEMS: each of these answers is a direct admission or unusual answer. These answers give insight into the offender's thinking, motivation and rationalizations. When numerous, significant items may overflow onto a 6th page.

SEXUAL A	DJUSTMENT	
----------	-----------	--

CHILD MOLEST

27. Disturbed by urges

96. Has (had) sex therapy

130. Required to be in sex trtmnt

- 52. Enjoy child pornography
- 65. Sexually aroused by child

SEXUAL ASSAULT

EXHIBITIONISM

51. Has forced someone to have sex 54. Aroused: thinks of exposing

144. Admits has raped someone

ALCOHOL

DRUGS

- 8. Drinking is a problem
- 19. Concerned about drinking
- 139. Alcoholics Anonymous
 99. Last year drinking problem
- 21. Uses marijuana
- 45. Denies using drugs but does
- 91. May or may not use drugs
- 84. Worries about drug use

VIOLENCE

ANTISOCIAL

- 13. Gets angry quickly 48. Often thinks about revenge
- 59. Two or more items apply
- 55. Two or more apply to client

DISTRESS

IMPULSIVENESS

- 56. Often lonely and unhappy 34. Feels friendless and alone
- 227. Recently very distressed

38. Acts on spur of the moment

Copyright © Protected ALL RIGHTS RESERVED